



Sickness policy

Sickness policy

At nursery your child is part of a larger group of children. The children interact closely with each other and therefore they are more likely to get sick in the nursery environment. Please keep in mind that a day at Nursery is different from a day at home. Your child may seem fine at home but is too tired for a full day of activities and interaction with others. The staff decide if a child should be at home according to their general condition, this mean that even if your child is fever free we might make a decision that they are not well enough for a day at Nursery.

We understand and respect the fact that you have work and will only send children home if the staff agrees that it is necessary. Please keep in mind that the reason for our sickness policy is to keep all children and staff as healthy as possible. Keeping up with our policy will help us handle outbreaks of sickness in a much more effective way.

We follow the recommendations that have been set by 'Socialstyrelsen' regarding children and sickness. Here are some examples of their recommendations:

Stomach

The child needs to be home 48 hours after the last vomiting or case of diarrhoea. The child also has to be well enough to be able to eat before returning to nursery.

Fever

Children with fever should always stay home and need to be fever free for at 24 hours before returning to nursery.

Tonsillitis

Children with tonsillitis need to stay home until symptoms and fever (24 hours after last symptoms) have gone away. If the child is taking antibiotics they need to have been on it for at least two days before coming back to nursery.

Cold

If the child can be at nursery or not is determined by the child's general condition. The child needs to have enough energy to take part in the activities including outside activities. If you are unsure please talk to the staff.

Head Lice

The child may return to nursery after going through treatment. (Can be found at Apoteket)

Pinworm/Springmask

The child may return to Nursery after going through treatment. (Can be found at Apoteket)

Chicken Pox

The child needs to stay home until all the pox are dry and the fever is gone. Based on the doctors recommendations.

Eye Infection

Children with infected, sticky, red eyes need to stay home (48 hours after last symptoms). Eye infections are extremely contagious. They can last from a few days up to a few weeks.

Medicines

We can not give children medicine at nursery unless it is for a chronic disease such as asthma, allergies or diabetes.

We hope that you will respect each other and the staff when you consider sending your child to nursery. Together we can make the nursery a healthy and happy place.



Sjukdoms policy

Sjukdoms policy

På förskolan är ditt barn en del av en större grupp med barn. Barnen leker ofta väldigt nära med varandra och det är därför vanligt att sjukdomar sprids. Det är viktigt att komma ihåg att en dag på förskolan skiljer sig från en dag hemma. Ditt barn kanske verkar må bra hemma men orkar kanske ännu inte med en full dag på förskolan. Personalen bestämmer om ditt barn behöver vara hemma baserat på deras allmäntillstånd. Detta innebär att även om ditt barn inte har feber så kan personalen bedöma att barnet inte är friskt nog för en dag på förskolan.

Vi förstår och respekterar att föräldrar/vårdnadshavare arbetar och skickar bara hem barn när vi gjort bedömningen att det är absolut nödvändigt. Anledningen till att vi har en sjukdoms policy är för att begränsa spridningen av sjukdomar inom förskolan då detta kan påverka andra barn samt personal.

Vi följer 'Socialstyrelsens' rekommendationer gällande sjukdomar. Nedan följer några exempel på deras rekommendationer:

Magsjuka

Barnet måste vara hemma tills 48 timmar **efter** sista kräkning eller diarré. Barnet måste även vara friskt nog för att kunna äta innan de återvänder till förskolan.

Feber

Barn med feber bör alltid stanna hemma och vila. De behöver vara feberfria i **minst** 24 timmar innan de återvänder till förskolan.

Halsfluss

Barn med halsfluss måste stanna hemma tills 24 timmar **efter** sista symtom. Om barnet fått antibiotika utskrivet så måste de ha tagit antibiotika i minst 2 dagar innan de kan återvända till förskolan.

Förkylning

Barnets allmäntillstånd avgör om de kan komma till förskolan. Barnet måste ha energi nog för att kunna delta i förskolans olika aktiviteter. Om ni känner er osäker prata gärna med personalen!

Löss

Barnet kan återvända till förskolan efter behandling. Behandling köps på Apoteket.

Springmask

Barnet kan återvända till förskolan efter behandling. Behandling köps på Apoteket.

Vattkoppor

Barnet måste vara hemma tills dess att alla blåsor torkat ut och febern är borta.

Ögoninfektion

Barn med infekterade, röda, klibbiga ögon behöver stanna hemma 48 timmar efter att symtomen försvunnit. Ögoninfektioner är extremt smittsamma och kan vara från ett par dagar up till ett par veckor.

Mediciner

Vi kan inte ge några mediciner på förskolan såvida det inte är för någon kronisk sjukdom såsom astma, allergi eller diabetes.

Vi hoppas att ni väljer att respektera andra barn och föräldrar/vårdnadshavare samt personalen när ni överväger att skicka ert barn till förskolan!